				· · · · · · · · · · · · · · · · · · ·
L Number	Hits	Search Text	DB	Time stamp
-	0	(proxy with (host or origin) with (user	USPAT;	2003/10/08
		or client or custoomer or sender) with	US-PGPUB	08:40
		(request\$4 or send\$4 or receiv\$4) same		
		token) and protocol and (rule or policy		
		or access or database) and @ad<20000118		
_	1 0	(proxy with (host or origin) with (user	USPAT;	2003/10/08
		or client or custoomer or sender) with	US-PGPUB	08:41
		(request\$4 or send\$4 or receiv\$4) same		
		token) and protocol and (right or		
		privilege or rule or policy or access or	· ·	
		database) and @ad<20000118		
_	4	(proxy with (host or origin) with (user	USPAT;	2003/10/08
	1	or client or custoomer or sender) with	US-PGPUB	08:50
		(request\$4 or send\$4 or receiv\$4)) and	US-FGFUD	00.30
		token and cookie and protocol and (right		
		or privilege or rule or policy or access		
	0.1	or database) and @ad<20000118	*****	0000 (10 (00
-	21	(proxy with (host or origin or server)	USPAT;	2003/10/08
		with (user or client or customer or	US-PGPUB	09:01
		sender) with (request\$4 or send\$4 or		· ·
		receiv\$4)) and token and cookie and		
	· .	protocol and (right or privilege or rule		
	1	or policy or access) and @ad<20000118		
-	22	(proxy with (host or origin or server)	USPAT;	2003/10/08
		with (user or client or customer or	US-PGPUB	10:09
		sender) with (request\$4 or send\$4 or		
		receiv\$4)) and token and cookie and		1
		protocol and (right or privilege or rule		
		or policy or access or authenticat\$4 or		
		authori\$6) and @ad<20000118		
_	32	(proxy same (host or origin or server)	USPAT;	2003/10/09
		same (user or client or customer or	US-PGPUB	07:49
		sender) same (request\$4 or send\$4 or		
		receiv\$4)) and token and cookie and		
		protocol and (right or privilege or rule		1
		or policy or access or authenticat\$4 or		
		authori\$6) and @ad<20000118		
_	10		USPAT;	2003/10/08
ļ		same (user or client or customer or	US-PGPUB	09:05
		sender) same (request\$4 or send\$4 or	05 10105	03.00
		receiv\$4)) and token and cookie and		
		protocol and (right or privilege or rule		
		or policy or access or authenticat\$4 or		
		authori\$6) and @ad<20000118) not ((proxy		
		with (host or origin or server) with		
		(user or client or customer or sender)		
1	1	with (request\$4 or send\$4 or receiv\$4))		
		and token and cookie and protocol and		
		(right or privilege or rule or policy or		
		access or authenticat\$4 or authori\$6)		1
		and @ad<20000118)		1
-	23		USPAT;	2003/10/08
	,	with (user or client or customer or	US-PGPUB	10:07
		sender or resource or browser) with		
		(request\$4 or send\$4 or receiv\$4)) and		
	1	token and cookie and protocol and (right		
		or privilege or rule or policy or access		
		or authenticat\$4 or authori\$6) and		
	ł	@ad<20000118		
-	22	(proxy with (host or origin or server)	USPAT;	2003/10/08
		with (user or client or customer or	US-PGPUB	10:09
	[sender) with (request\$4 or send\$4 or		
	1	receiv\$4)) and token and cookie and		
		protocol and (right or privilege or rule		
	1	or policy or access or authenticat\$4 or		
	1	authori\$6) and @ad<20000118	·	
		1 44444 / 4444 /	1	1

-	1	((proxy with (host or origin or server)	USPAT;	2003/10/08	
	•	with (user or client or customer or	US-PGPUB	10:10	
		sender or resource or browser) with			
		(request\$4 or send\$4 or receiv\$4)) and			
		token and cookie and protocol and (right			
		or privilege or rule or policy or access			
		or authenticat\$4 or authori\$6) and			
		@ad<20000118) not ((proxy with (host or			
		origin or server) with (user or client			
		or customer or sender) with (request\$4 or			
		send\$4 or receiv\$4)) and token and cookie			
	1.	and protocol and (right or privilege or			
		rule or policy or access or authenticat\$4			
	29	or authori\$6) and @ad<20000118)	IICDAM.	2002/10/00	
-	29	(proxy same (host or origin or server) same (user or client or customer or	USPAT; US-PGPUB	2003/10/08	
		sender) same (request\$4 or send\$4 or	US-PGPUB	10.34	
		receiv\$4)) and token and cookie and			
		protocol and (right or privilege or rule			
		or policy or access or authenticat\$4 or			
		authori\$6) and state and @ad<20000118			
-	29		USPAT;	2003/10/08	•
		same (user or client or customer or	US-PGPUB	10:40	
	•	sender) same (request\$4 or send\$4 or			
		receiv\$4)) and token and cookie and			
		protocol and (right or privilege or rule			
		or policy or access or authenticat\$4 or			
	29	authori\$6) and state and @ad<20000118	HCDAM.	2002/10/00	
-	29	(proxy same (host or origin\$4 or server) same (user or client or customer or	USPAT; US-PGPUB	2003/10/09 15:50	
		sender or recipient) same (request\$4 or	US-PGPUB	13.30	
		send\$4 or receiv\$4)) and token and cookie			
		and protocol and (right or privilege or			
· ·		rule or policy or access or authenticat\$4			
		or authori\$6) and state and @ad<20000118			
-	6	("5805803" "5961593" "6081900"	USPAT	2003/10/08	
		"6112228" "6209100" "6226752").PN.		13:59	
-	5	6085321.URPN.	USPAT	2003/10/08	
1				14:07	
-	9	((proxy same (host or origin\$4 or server	USPAT;	2003/10/08	
) same (user or client or customer or	US-PGPUB	15:42	
		sender or recipient) same (request\$4 or			
		send\$4 or receiv\$4)) and token and cookie and protocol and (right or privilege or			
		rule or policy or access or authenticat\$4			
		or authori\$6) and state and			
		@ad<20000118) and novell			
-	32	((proxy same (host or origin\$4 or server	USPAT;	2003/10/08	
) same (user or client or customer or	US-PGPUB	15:43	
		sender or recipient) same (request\$4 or			
		send\$4 or receiv\$4)) and token and cookie			•
		and protocol and (right or privilege or			
		rule or policy or access or authenticat\$4			
		or authori\$6) and @ad<20000118)		2002/10/00	
-	29	(P=2 = (v=)	USPAT;	2003/10/08	
		same (user or client or customer or	US-PGPUB ·	15:44	
		sender or recipient) same (request\$4 or send\$4 or receiv\$4)) and token and cookie			
		and protocol and (right or privilege or			
1		rule or policy or access or authenticat\$4			
		or authori\$6) and state and @ad<20000118			
-	•	· · · · · · · · · · · · · · · · · · ·	·	<u>. </u>	

_		(((proxy same (host or origin\$4 or server) same (user or client or customer or sender or recipient) same (request\$4 or send\$4 or receiv\$4)) and token and cookie and protocol and (right or privilege or rule or policy or access or authenticat\$4 or authori\$6) and @ad<20000118)) not ((proxy same (host or origin\$4 or server) same (user or client or customer or sender or recipient) same (request\$4 or send\$4 or receiv\$4)) and token and cookie and protocol and (right or privilege or rule or policy or access or authenticat\$4 or authori\$6) and state and @ad<20000118	USPAT; US-PGPUB	2003/10/08 15:44
-	9	((proxy same (host or origin\$4 or server) same (user or client or customer or sender or recipient) same (request\$4 or send\$4 or receiv\$4)) and token and cookie and protocol and (right or privilege or rule or policy or access or authenticat\$4 or authori\$6) and @ad<20000118) and novel1	USPAT; US-PGPUB	2003/10/08 17:20
-	. 48	(proxy and (host or origin or server) same (user or client or customer or sender) same (request\$4 or send\$4 or receiv\$4)) and token and cookie and protocol and (right or privilege or rule or policy or access or authenticat\$4 or authori\$6) and @ad<20000118	USPAT; US-PGPUB	2003/10/09 16:06
-	1	((transparent adj proxy) and (host or origin or server) same (user or client or customer or sender) same (request\$4 or send\$4 or receiv\$4)) and token and cookie and protocol and (right or privilege or rule or policy or access or authenticat\$4 or authori\$6) and @ad<20000118	USPAT; US-PGPUB	2003/10/09 07:53
-	1	((transparent adj proxy) and (host or origin or server) and (user or client or customer or sender) same (request\$4 or send\$4 or receiv\$4)) and token and cookie and protocol and @ad<20000118	USPAT; US-PGPUB	2003/10/09 07:54
-	4	((transparent adj proxy) and (host or origin or server) and (user or client or customer or sender) same (request\$4 or send\$4 or receiv\$4)) and token and protocol and @ad<20000118	USPAT; US-PGPUB	2003/10/09 08:23
_	4	((transparent adj proxy) and (host or origin or server) and (user or client or customer or sender or resource or web) same (request\$4 or send\$4 or receiv\$4)) and token and (forward\$4 with authorization with no\$2 or without) and @ad<20000118	USPAT; US-PGPUB	2003/10/09 08:29
-		((transparent adj proxy) and (host or origin or server) and (user or client or customer or sender or resource or web) same (request\$4 or send\$4 or receiv\$4)) and token and (forward\$4 with authorization with (no\$2 or without)) and @ad<20000118	USPAT; US-PGPUB	2003/10/09
-	0	((transparent adj proxy) and (host or origin or server) and (user or client or customer or sender or resource or web) same (request\$4 or send\$4 or receiv\$4)) and token and (forward\$4 with (portion or authorization) with (no\$2 or without)) and @ad<20000118	USPAT; US-PGPUB	2003/10/09 08:31

_	14	<pre>((proxy) and (host or origin or server) and (user or client or customer or sender or resource or web) same (request\$4 or send\$4 or receiv\$4)) and token and (forward\$4 with (portion or authorization) with (no\$2 or without)</pre>	USPAT; US-PGPUB	2003/10/09 08:37
-	80) and @ad<20000118 ((proxy) and (host or origin or server) and (user or client or customer or sender or resource or web) same (request\$4 or send\$4 or receiv\$4)) and token and	USPAT; US-PGPUB	2003/10/09 08:42
-	. 202	(forward\$4 with (portion or authorization)) and @ad<20000118 ((proxy) and (host or origin or server) and (user or client or customer or sender or resource or web) same (request\$4 or send\$4 or receiv\$4)) and token and ((forward\$4 with (piece or portion)	USPAT; US-PGPUB	2003/10/09 08:47
_	38	with (request or authorization or token or cookie)) or ((no\$2 or without) with (authorization or cookie or token)) and @ad<20000118 ((proxy) and (host or origin or server) and (user or client or customer or sender	USPAT; US-PGPUB	2003/10/09 09:25
		or resource or web) same (request\$4 or send\$4 or receiv\$4)) and token and ((forward\$4 with (piece or portion)) with (request or authorization or token or cookie)) or ((no\$2 or without)with (forward\$4) with (authorization or cookie or token)) and @ad<20000118		
-		((transparent adj proxy) and (host or origin or server) and (user or client or customer or sender or resource or web) same (request\$4 or send\$4 or receiv\$4)) and token and ((forward\$4 with (piece or portion) with (request or authorization or token or cookie)) or ((no\$2 or without)with (forward\$4) with (authorization or cookie or token)) and	USPAT; US-PGPUB	2003/10/09 13:00
-	42	<pre>@ad<20000118 ((proxy) and (host or origin or server) and (user or client or customer or sender or resource or web) same (request\$4 or send\$4 or receiv\$4)) and token and ((forward\$4 with (piece or portion or strip\$4) with (request or authorization or token or cookie)) or ((no\$2 or without)with (forward\$4) with (authorization or cookie or token))) and</pre>	USPAT; US-PGPUB	2003/10/09 09:26
_	4	<pre>@ad<20000118 (((proxy) and (host or origin or server) and (user or client or customer or sender or resource or web) same (request\$4 or send\$4 or receiv\$4)) and token and ((forward\$4 with (piece or portion or strip\$4) with (request or authorization or token or cookie)) or</pre>	USPAT; US-PGPUB	2003/10/09 12:53
		((no\$2 or without)with (forward\$4) with (authorization or cookie or token)) and @ad<20000118) not (((proxy) and (host or origin or server) and (user or client or customer or sender or resource or web) same (request\$4 or send\$4 or receiv\$4)) and token and ((forward\$4 with (piece		
	·	or portion) with (request or authorization or token or cookie)) or ((no\$2 or without)with (forward\$4) with (authorization or cookie or token)))and @ad<20000118)		

-	4	(((proxy) and (host or origin or server	USPAT;	2003/10/09
) and (user or client or customer or	US-PGPUB ·	12:54
		sender or resource or web) same		
		(request\$4 or send\$4 or receiv\$4)) and		
		token and ((forward\$4 with (piece or		
		portion or strip\$4) with (request or		
		authorization or token or cookie)) or		
		((no\$2 or without) with (forward\$4) with (
		authorization or cookie or token))) and		
		@ad<20000118) not (((proxy) and (host or		·
		origin or server) and (user or client or		
		customer or sender or resource or web)		
		same (request\$4 or send\$4 or receiv\$4))		·
		and token and ((forward\$4 with (piece	·	
		or portion) with (request or		
		authorization or token or cookie)) or		
		((no\$2 or without) with (forward\$4) with (
		authorization or cookie or token)))and		
1		@ad<20000118)		
-	3	((((proxy) and (host or origin or server	USPAT;	2003/10/09
) and (user or client or customer or	US-PGPUB	12:54
1		sender or resource or web) same		
1		(request\$4 or send\$4 or receiv\$4)) and		
1		token and ((forward\$4 with (piece or		
		portion or strip\$4) with (request or		
		authorization or token or cookie)) or		
		((no\$2 or without) with (forward\$4) with (
		authorization or cookie or token))) and		
		• • • • • • • • • • • • • • • • • • • •		
		@ad<20000118) not (((proxy) and (host or		
		origin or server) and (user or client or		
		customer or sender or resource or web)		
		same (request\$4 or send\$4 or receiv\$4))		
		and token and ((forward\$4 with (piece		
		or portion) with (request or		
	ł	authorization or token or cookie)) or		·
	į	((no\$2 or without) with (forward\$4) with (
		authorization or cookie or token))) and		j
	1	@ad<20000118)) and source		1
l _	39		USPAT;	2003/10/09
		virtual) adj (computer or server))) and	US-PGPUB	13:02
		(host or origin or server) and (user or	35 13105	1 -3.02
		client or customer or sender or resource		l
1		1		
		or web) same (request\$4 or send\$4 or		
		receiv\$4)) and token and ((forward\$4		
		with (piece or portion) with (request or		
		authorization or token or cookie)) or		
		((no\$2 or without) with (forward\$4) with (
		authorization or cookie or token))) and		
		@ad<20000118		
-	36		USPAT;	2003/10/09
1		or virtual) adj (computer or server)))	US-PGPUB	13:02
1	-	and (host or origin or server) and (user	1	
		or client or customer or sender or		
1		resource or web) same (request\$4 or		
1		send\$4 or receiv\$4)) and token and		
		((forward\$4 with (piece or portion)		
1		with (request or authorization or token		
	1	or cookie)) or ((no\$2 or without) with		
	1			
	1			
		(forward\$4) with (authorization or		
		cookie or token))) and @ad<20000118) and ["39"		,

-	. 37	((((transparent adj proxy)) or ((remote or virtual) adj (computer or server))) and (host or origin or server) and (user or client or customer or sender or resource or web) same (request\$4 or send\$4 or receiv\$4)) and token and ((forward\$4 with (piece or portion) with (request or authorization or token or cookie)) or ((no\$2 or without) with (forward\$4) with (authorization or cookie or token)) and @ad<20000118) and source	USPAT; US-PGPUB	2003/10/09 15:53
-	29	(proxy same (host or origin\$4 or server) same (user or client or customer or sender or recipient) same (request\$4 or send\$4 or receiv\$4)) and token and cookie and protocol and (right or privilege or rule or policy or access or authenticat\$4 or authori\$6) and state and @ad<20000118	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/09 15:51
-	0	(proxy same (host or origin\$4 or server) same (user or client or customer or sender or recipient) same (request\$4 or send\$4 or receiv\$4)) and token and cookie and protocol and (right or privilege or rule or policy or access or authenticat\$4 or authori\$6) and state and @ad<20000118	USOCR	2003/10/09 15:51
_	37	((((transparent adj proxy) or ((remote or virtual) adj (computer or server))) and (host or origin or server) and (user or client or customer or sender or resource or web) same (request\$4 or send\$4 or receiv\$4)) and token and ((forward\$4 with (piece or portion) with (request or authorization or token or cookie)) or ((no\$2 or without)with (forward\$4) with (authorization or cookie or token)) and @ad<20000118) and source	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/09 15:54
		(((((transparent adj proxy)) or ((remote or virtual)) adj (computer or server)) and (host or origin or server) and (user or client or customer or sender or resource or web) same (request\$4 or send\$4 or receiv\$4)) and token and ((forward\$4 with (piece or portion)) with (request or authorization or token or cookie)) or ((no\$2 or without)) with (forward\$4) with (authorization or cookie or token)) and @ad<20000118) and source) not ((proxy same (host or origin\$4 or server) same (user or client or customer or sender or recipient) same (request\$4 or send\$4 or receiv\$4)) and token and cookie and protocol and (right or privilege or rule or policy or access or authenticat\$4 or authori\$6) and state	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/09 15:54
_	. 23	and @ad<20000118) (((transparent adj proxy) or ((remote or virtual) adj (computer or server))) same (user or client or customer or sender) same (request\$4 or send\$4 or receiv\$4)) and token and cookie and protocol and (right or privilege or rule or policy or access or authenticat\$4 or authori\$6) and @ad<20000118	USPAT; US-PGPUB	2003/10/09 16:07

_	23	(((transparent adj proxy) or ((remote or	USPAT;	2003/10/09
		virtual) adj (computer or server))) same	US-PGPUB;	16:08
		(user or client or customer or sender)	EPO; JPO;	·
		same (request\$4 or send\$4 or receiv\$4))	DERWENT;	
	•	and token and cookie and protocol and	IBM TDB	
		(right or privilege or rule or policy or	_	
		access or authenticat\$4 or authori\$6)		
	İ	and @ad<20000118		